

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	1038	257/691.ccls.	US-PGPUB; USPAT; USOCR
2	BRS	L2	1374	257/692.ccls.	US-PGPUB; USPAT; USOCR
3	BRS	L3	1194	257/698.ccls.	US-PGPUB; USPAT; USOCR
4	BRS	L4	1931	257/773.ccls.	US-PGPUB; USPAT; USOCR
5	BRS	L5	1537	257/786.ccls.	US-PGPUB; USPAT; USOCR
6	BRS	L6	1690	257/738.ccls.	US-PGPUB; USPAT; USOCR
7	BRS	L7	1233	257/780.ccls.	US-PGPUB; USPAT; USOCR
8	BRS	L8	244	257/691.ccls.	EPO; JPO; DERWENT; IBM_TDB
9	BRS	L9	465	257/692.ccls.	EPO; JPO; DERWENT; IBM_TDB
10	BRS	L10	312	257/698.ccls.	EPO; JPO; DERWENT; IBM_TDB
11	BRS	L11	449	257/773.ccls.	EPO; JPO; DERWENT; IBM_TDB
12	BRS	L12	356	257/786.ccls.	EPO; JPO; DERWENT; IBM_TDB
13	BRS	L13	0	L1 and (power or ground) and signal	EPO; JPO; DERWENT; IBM_TDB
14	BRS	L14	700	L1 and (power or ground) and signal	US-PGPUB; USPAT; USOCR

	Type	L #	Hits	Search Text	DBs
15	BRS	L15	449	L2 and (power or ground) and signal	US-PGPUB; USPAT; USOCR
16	BRS	L16	426	L3 and (power or ground) and signal	US-PGPUB; USPAT; USOCR
17	BRS	L17	323	L3 and (power or ground) and signal and (ball or bump or pad) and first and second	US-PGPUB; USPAT; USOCR
18	BRS	L18	329	L2 and (power or ground) and signal and (ball or bump or pad) and first and second	US-PGPUB; USPAT; USOCR
19	BRS	L20	554	((power or ground) and signal and (ball or bump or pad) and first and second and (wiring or plane or line)).clm.	US-PGPUB
20	BRS	L21	268	L20 and (substrate or board) and (hole or slot or opening or aperturea)	US-PGPUB
21	BRS	L22	277	L20 and (substrate or board) and (hole or slot or opening or aperture)	US-PGPUB

	Type	L #	Hits	Search Text	DBs
22	BRS	L23	69	((power or ground) and signal and (ball or bump or pad) and first and second and (wiring or plane or line) and (substrate or board) and (slot or opening or aperture)).clm.	US-PGPUB
23	BRS	L19	488	L1 and (power or ground) and signal and (ball or bump or pad) and first and second	US-PGPUB; USPAT; USOCR
24	BRS	L24	210	L19 and (substrate or board) and (hole or slot or opening or aperturea)	US-PGPUB; USPAT; USOCR